

# SAFETY DATA

**PRODUCT NAME: PTR POLISH, SPR POLISH, GLASTIC\* POLISH**

Page 1 of 4

SPR INTERNATIONAL INC.  
320 Northpoint Pkwy. Suite L  
Acworth, GA 30102

5/10/08

OFFICE TELEPHONE NUMBER: Acworth, GA (770) 966-1331

**EMERGENCY TELEPHONE NUMBER: 3-E 1-800-451-8346**, Office 8:00 am to 5pm  
Mon - Fri E.S.T. 1- 800-346-7882 Home Phone (770) 424-2355 Larry Stevens

---

## SECTION I - PRODUCT IDENTIFICATION

---

**PRODUCT NAME: PTR POLISH, SPR POLISH, GLASTIC\* POLISH**

DOT CLASS: Combustible Liquid N. O. S. NA 1993

CHEMICAL NAME: Mixture

---

## SECTION II

### HAZARDOUS INGREDIENTS/IDENTITY INFORMATION

---

HAZARDOUS COMPONENTS	OSHA PEL	ACGIH TLV	OTHER
Stoddard Solvent	(cas# 8052-41-3)	500ppm	100ppm
*Isopropyl Alcohol	(cas# 67-63-0)	400ppm	400ppm
Xylene	(cas# 1330-20-7)	100ppm	100ppm
Calcined Kaolin Clay	(cas# 66402-68-4)	10mg/m3	
Oleic Diethanol Amide	(cas# 68155-20-4)	Not Established	
Glastic		None Established	

\*=NTP has listed as a carcinogenic, IRAC has listed as a human carcinogenic  
Groups 1, 2A, 2B

---

## SECTION III

### PHYSICAL/CHEMICAL CHARACTERISTICS

---

BOILING POINT/RANGE:	136 F.
FLASH POINT:	143 F. using C. O. C.
SPECIFIC GRAVITY (H2O=1):	1.28 at 23 C
VAPOR DENSITY (AIR=1):	GREATER
VAPOR PRESSURE (mm hg):	N/A

# SAFETY DATA

**PRODUCT NAME: PTR POLISH, SPR POLISH, GLASTIC\* POLISH**

Page 2 of 4  
3/27/07

SPR INTERNATIONAL INC.  
320 Northpoint Pkwy. Suite L  
Acworth, Ga. 30102

OFFICE TELEPHONE NUMBER: Acworth, Ga. (770) 966-1331

**EMERGENCY TELEPHONE NUMBER: 3-E 1-800-451-8346**, Office 8:00 am to 5pm  
Mon - Fri E.S.Time 1- 800-346-7882 Home Phone (770) 424-2355 Larry Stevens

EVAPORATION RATE:	Slower than Butyl Acetate
MELTING POINT:	N/A
% VOLATILE BY WEIGHT:	% SOLIDS: 15%
WEIGHT PER GALLON:	8.25 PH= 7
SOLUBILITY IN WATER:	Insoluble
APPEARANCE & ODOR:	Semi-Viscous Liquid of White Color and smell of Aliphatic Hydrocarbons.
VISCOSITY:	#5cp FOR 21 sec at 23 C
FLAMMABLE LIMITS:	Not Determined LEL: UEL:
ADDITIONAL INFORMATION:	N/A

---

## SECTION IV FIRE AND EXPLOSION HAZARD DATA

---

EXTINGUISHING MEDIA: OFFICE foam, Carbon Dioxide, Dry Chemical

SPECIAL FIREFIGHTING PROCEDURES: Self-Contained breathing apparatus is recommended.

UNUSUAL FIRE & EXPLOSION HAZARDS: Water may cause frothing, apply with caution.

---

## SECTION V REACTIVITY DATA

---

STABILITY: Stable  
CONDITIONS TO AVOID: Strong oxidizers such as liquid chlorine. Eliminate all potential sources of ignition.

HAZARDOUS DECOMPOSITION PRODUCTS: Incomplete combustion may produce carbon dioxide/monoxide.

HAZARDOUS POLYMERIZATION: Does not occur.

# SAFETY DATA

**PRODUCT NAME: PTR POLISH, SPR POLISH, GLASTIC\* POLISH**

Page 3 of 4  
5/10/08

SPR INTERNATIONAL INC.  
320 Northpoint Pkwy. Suite L  
Acworth, Ga. 30102

OFFICE TELEPHONE NUMBER: Acworth, Ga. (770) 966-1331

**EMERGENCY TELEPHONE NUMBER: 3-E 1-800-451-8346**, Office 8:00 am to 5pm  
Mon - Fri E.S.Time 1- 800-346-7882 Home Phone (770) 424-2355 Larry Stevens

---

## SECTION VI HEALTH HAZARD DATA

---

### EMERGENCY & FIRST AID PROCEDURES:

EYES: wash with large quantities of water.

DERMAL: wash with soap and water.

INHALATION: remove to fresh air.

INGESTION: Do NOT induce vomiting. Get medical attention.

### SIGNS & SYMPTOMS OF EXPOSURE:

EYES: Irritation & Burning

DERMAL: Irritation

INGESTION: Irritation, Dizziness, Nausea, Headache, Blurred Vision.

INHALATION: Irritation

CARCINOGENICITY: This product is NOT listed as a known carcinogen or possible carcinogen by OSHA, NTP, IARC.

NTP:

IARC: It should be noted that Isopropyl Alcohol is listed with the NTP &

OSHA: IRAC as probable Human Carcinogenic.

---

## SECTION VII SPILL OR LEAK PROCEDURES

---

### STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:

Dike or Pill area. Remove all sources of ignition. Ventilate area if necessary. Recover free liquid with absorbent pads or absorbent material.

### WASTE DISPOSAL METHOD:

In accordance with Local, State and Federal Laws.

# SAFETY DATA

**PRODUCT NAME: PTR POLISH, SPR POLISH, GLASTIC\* POLISH**

Page 4 of 4  
5/10/08

SPR INTERNATIONAL INC.  
320 Northpoint Pkwy. Suite L  
Acworth, Ga. 30102

OFFICE TELEPHONE NUMBER: Acworth, Ga. (770) 966-1331

**EMERGENCY TELEPHONE NUMBER: 3-E 1-800-451-8346**, Office 8:00 am to 5pm  
Mon - Fri E.S.Time 1- 800-346-7882 Home Phone (770) 424-2355 Larry Stevens

If this product becomes a waste it should be shipped COMBUSTIBLE LIQUID  
N. O. S. NA 1993,

---

## SECTION VIII SPECIAL PROTECTION INFORMATION

---

RESPIRATORY PROTECTION: Normally not needed in a well-ventilated area.  
VENTILATION: Whatever is necessary to meet OSHA/PEL requirements  
PROTECTIVE GLOVES: Neopreme/Nitrile  
EYE PROTECTION: Full-face shield.  
OTHER PROTECTIVE EQUIPMENT: As needed to minimize exposure  
HYGIENIC PRACTICES: Always wash hands and face before eating or drinking anything.

---

## SECTION IX NOTES

---

NONE

The information contained herein is based on data considered accurate. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof.

Vendor assumes no responsibility for injury to vendee or third person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third person proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.